



Door Lock Control




- * 2 : w/ Entry & Start System
- * 3 : w/o Entry & Start System

Door Lock Control




Door Lock Control

A73(A), D5(B), D6(C)
Main Body ECU




Door Lock Control

A73(A), D5(B), D6(C)
Main Body ECU



Door Lock Control



Gray

Clay					
1	2	3	4	5	6
7	8	9	10	11	12

White

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

White

The diagram shows a bus structure with a main body and an extension. The main body has three rows of slots: the top row has slots 1, 2, and 3; the middle row has slots 7, 8, and 9; and the bottom row has slots 19, 20, and 21. The extension, located to the right of the main body, has three rows of slots: the top row has slots 4, 5, and 6; the middle row has slots 13, 14, and 15; and the bottom row has slots 25, 26, and 27. A large rectangular box is positioned above the extension, spanning the width of the extension and the main body. The slots are numbered 1 through 30, with some slots missing (e.g., 10, 11, 12, 16, 17, 18, 22, 23, 24, 28, 29, 30).

White

Blue

1	2	3	4	5	6
7	8	9	10	11	12

Blue

1	2	3	4	5	6
7	8	9	10	11	12

Black

1	2	3	4	5	6	7	8	9	10	11	
12	13	14	15	16	17	18	19	20	21	22	

Black

1	2	3	4	5	6	7	8	9	10	11	
12	13	14	15	16	17	18	19	20	21	22	

White

1	2
---	---

White

1	2	3	4		
5	6	7	8	9	10

White

1	2	3		4	5	6	7
8	9	10	11	12	13	14	15

White

		white			
1	2	3	4		
5	6	7	8	9	10

White

1	2	3			4	5	6	7
8	9	10	11	12	13	14	15	16

White

1	2	3		4	5	6	7
8	9	10	11	12	13	14	15

White




White




Door Lock Control


3A
White




3B
White




3C
White




3D
White








AD1
White



AD2
White



Door Lock Control



Door Lock Control

